


# Spiro




Colour included  
in the price

  
**TERMA**  
SINCE 1990




Spiro 794 x 450  
colour: morning beige




## Connections:




## Available sizes:



566 x 450  
↕ ↔





794 x 450




1062 x 450

## Specifications:


Electric version with a heating cable.

A ↕	B ↔	 [W]	D [mm]	E [mm]	F [mm]	 [kg]	Product Code <span>Configuration codes: 4</span>
<b>Powder coating</b>							
566	450	110	240	227	170	4,30	WSSPI056045
794	450	165	240	455	170	5,50	WSSPI079045
1062	450	205	240	723	170	6,80	WSSPI106045
<b>Plated finishes</b>							
566	450	80	240	227	170	4,30	WSSPI056045
794	450	110	240	455	170	5,50	WSSPI079045
1062	450	130	240	723	170	6,80	WSSPI106045



Colour included  
in the price


**E7**



A — Height    B — Width    C1-C5 — Distance between pipe centres    D — Horizontal distance between mounting bracket centres  
E — Vertical distance between mounting brackets    F — Distance between a mounting bracket and the bottom of the radiator

**Profile:**





Colour included  
in the price

Product codes can be found in product data sheet tables. The codes provide some basic information about the product while a partially filled configuration code contains complementary information about the detailed specifications. When placing an order, product codes should include the fully completed configuration part. The configuration code part should be placed after the main product code. The main product code and configuration part will appear as shown in the example below:

## Structure of configuration code for electric radiators with a heating wire

WWBNN076050

PRODUCT CODE  
(located in the table for the product)

K916E1W

CONFIGURATION CODE  
(supplemented by hand)

### Configuration


K 916 E1 W

Package code   Colour code   Connection code   Type of heating element cable code  
*K – carton box*

## Zinc powder primer

**C** – Code of zinc powder primer is an extra processes

WLAL054030 K916SX **C** — Extra processes or additions code



Colour included  
in the price

## Legend



Available in chrome finish.



Radiator available in a "water" version.



Radiator suitable for dual fuel connection. Electric heating element can be installed.



Radiator available in electric only version. It comes prefilled with a 'heating medium' and equipped with a heating element. All tested and ready to use.



Connection types dedicated for this radiator.  
The icon shows the flow and return connections for the radiator as well as the thermo-  
static valve and heating element position if applicable.



Optional connections available for this radiator.



Suggested heating element power output for electric and dual fuel versions.



Weight.



Capacity.