

# Triga M



Colour included  
in the price



Triga M 1700 x 680  
colour: soft 4006

Angled lockshield valve, chrome  
Angled regulating valve, chrome  
Pipe-masking set, chrome


# Triga M



Colour included in the price

design: *Terma*

## Connections:



## We recommend:

A set of integrated thermostatic valves for YL connection




Integrated pipe-masking set



ZIP V hanger



## Available sizes:



## Specifications:

Working pressure: 0,8 MPa    Maximum operating temperature: 95°C


A ↓	B ↔	C1 [mm]	C2 [mm]	75/65/20°C [W]	55/45/20°C [W]	 [W]	D [mm]	E [mm]	F [mm]	 [dm <sup>3</sup> ]	 [kg]	Product Code <small>Configuration codes: 4</small>
1700	680	50	650	646	332	600	650	1520	90	10,55	28,25	WGTRL170068
1700	780	50	750	850	437	800	750	1520	90	13,97	33,75	WGTRL170078
1700	880	50	850	1074	552	1000	850	1520	90	17,39	39,24	WGTRL170088
1900	680	50	650	721	369	800	650	1720	90	11,75	31,43	WGTRL190068
1900	780	50	750	961	492	1000	750	1720	90	15,57	37,54	WGTRL190078
1900	880	50	850	1202	615	1200	850	1720	90	19,39	43,64	WGTRL190088

# Triga M





Colour included  
in the price

SX





YL



A — Height B — Width C1-C5 — Distance between pipe centres D — Horizontal distance between mounting bracket centres  
E — Vertical distance between mounting brackets F — Distance between a mounting bracket and the bottom of the radiator

Collector:

Profile:





Colour included  
in the price

Product codes can be found in product data sheet tables. The codes provide some basic information about the product while a partially filled configuration code contains complementary information about the detailed specifications. When placing an order, product codes should include the fully completed configuration part. The configuration code part should be placed after the main product code. The main product code and configuration part will appear as shown in the example below:

The construction of a water and dual fuel radiator product and configuration code:

WGALE054030

K916SX

PRODUCT CODE  
(located in the table for the product)

CONFIGURATION CODE  
(supplemented by hand)

Configuration

K 916 SX

Package code   Colour code   Connection code  
*K – carton box*

Zinc powder primer

**C** – Code of zinc powder primer is an extra processes

WLALE054030 K916SX **C** — *Extra processes or additions code*

# Triga M



Colour included  
in the price

## Legend



Available in chrome finish.



Radiator available in a "water" version.



Radiator suitable for dual fuel connection. Electric heating element can be installed.



Radiator available in electric only version. It comes prefilled with a 'heating medium' and equipped with a heating element. All tested and ready to use.



Connection types dedicated for this radiator.  
The icon shows the flow and return connections for the radiator as well as the thermostatic valve and heating element position if applicable.



Optional connections available for this radiator.



Suggested heating element power output for electric and dual fuel versions.



Weight.



Capacity.